



CONTROL APPROVAL SYMBOL SPMCS-85

### WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDING II JANUARY 1946





ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED

PER 1000 STRENGTH

DISEASE WWW.

INJURY



THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

### CONTENTS

#### DATA FOR WEEK ENDING II JANUARY 1946

NATURE OF THE DATA		 PAGE
COMMENT ON CURRENT TRENDS		 . 5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMAN	DS	 . 9
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GEN HAVING A STRENGTH OF 5000 OR OVER		. 11
STATIONS WITH HIGHEST MORBIDITY RATES		 . 18
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST		. 19

## WEEKLY HEALTH REPORT NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

#### MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. More significant is the estimated non-effective rate for personnel stationed in the United States shown in the chart on page 7.

The number of enlisted men discharged during the week on Certiticates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casuals, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

#### MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

#### STATIONS WITH RIGHEST MORBIDITY RATES


Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.


#### EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.


Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (\*) is placed after the name of the station.

# MORBIDITY FROM — ALL CAUSES — INJURY ONLY





# MORBIDITY FROM — DISEASE COLDS INFLUENZA ETC.



### COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes:

(See Chart on page 3.)

Morbidity from all causes during the week ended 11 January increased (by 22 percent) to 695 admissions per thousand troops per annum.

Injury:

(See Chart on page 3.)

Injury admissions decreased during the week, from 34 to 30 per thousand. Highest rate was that reported from the Ninth Service Command (40 per thousand), ranging down to 19 per thousand in the First and Second Service Commands.

Diseases:

(See Chart on opposite page.)

Morbidity from all diseases in the United States as a whole increased (by 24 percent) during the week to 665 admissions per thousand troops per annum (about 10 percent over the rate of 605 reported in 1945 for the corresponding week).

Sharp increases are noted in all service commands.

Respiratory Diseases:
(See Chart on opposite page.)

The rate for colds, influenza, etc., increased during the week (156 per thousand to 184 per thousand), reaching its highest point this winter, and exceeding the rate for the corresponding period last year by over 15 percent. Morbidity from these causes increased in all service commands except the Fourth and Fifth. Incidence continued highest in the Military District of Washington (343 admissions per thousand troops per annum); rates (around 140 per thousand) were reported from the Fourth, Fifth, Sixth, and Ninth Service Commands.

Only in the Fifth and Sixth Service Commands were this year's rates below those reported in the corresponding period of 1945.


Admissions for all forms of primary pneumonia rose during the week from 15 to 16 per thousand troops per annum, while the rate for primary pneumonias other than atypical moved during the week from 6.1 to 7.2. One year ago this rate was 4.2 and 3.7 per thousand, while it had reached 13.5 and 12.7 in these weeks two years ago.

Primary pneumonia admissions (for all forms) decreased in the Second and Fourth Service Commands and the MDW; rates ranged from 22 per thousand in the Eighth to 11 in the Second and Fifth Service Commands and the MDW.


OFFICE OF THE SURGEON GENERAL MEDICAL STATISTICS DIVISION HEALTH REPORTS BRANCH

### NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



### PATIENTS REMAINING IN HOSPITAL



RESTRICTED

### COMMENT ON CURRENT TRENDS (CONT.)

#### Venereal Diseases:

New admissions for non-EPTS venereal diseases increased during the week from 59 to 82 per thousand troops per annum. The highest ratespreviously reported since December 1941, were those reached in the weeks ended 24 August, 26 October, and 9 November (66 per thousand). The rate increased sharply in all service commands; incidence ranged from 117 new admissions per thousand troops in the Fourth Service Command to 40 per thousand in the MDW.

#### Other Communicable Diseases:

Incidence of diarrhea and dysentery increased to 5 admissions per thousand troops per annum. A high rate of 16 per thousand was reported from the Second Service Command, due chiefly to an outbreak of common diarrheam among West Point cadets.

### NONEFFECTIVE RATE:

(See Chart on page 6.)

The noneffective rate for personnel stationed in the continental United States is estimated at 37.2 per thousand troops per day for the week ended 11 January as compared with 34.8 per thousand for the corresonding week of 1945. PATIENTS REMAINING UNDER TREATMENT: 11 JANUARY 1946: (See Chart on page 6.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, increased during the week to 165,298 as compared with 164,509 at the end of the previous week.


The number of neuropsychiatric cases remaining was 12,105 or about 150 more than at the end of the previous week. Non-battle injury patients remaining numbered about 28,100. The battle casualty patients remaining decreased by about 700 to 41,035.

### CERTIFICATES OF DISABILITY FOR DISCHARGE: (See Chart on page 8.)

In the week ended 11 January there were 2988 enlisted personnel discharged by CDD (1375 more than in the previous week). Fifty-six percent of these discharges were reported by general hospitals and 17 percent by convalescent hospitals. Among these CDD's were 599 neuropsychiatric cases, about 275 more than in the previous week. These discharges included 135 CDD's accomplished at Air Force medical activities.

### CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



VOLUME VI REPORT NO. 2
WEEK ENDING 11 January 194 6

### WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES
AND THE SERVICE COMMANDS

RESTRICTED

ADMISSIONS MEAN NUMBER OF MEAN ANNUAL RATE ANNUAL CASE RATE SERVICE COMMAND PER 1000 STRENGTH NONEFFECTIVES PER 1000 STRENGTH STRENGTH PER DIARRHEA AND VENEREAL. COLDS. INFLU-PNEUMONIA ALL CAUSES DISEASE INTURY 1000 STRENGTH (INCL. ATYPICAL) DYSENTERY ENZA. ETC. \* (EXCL. EPTI) CURRENT WE EK COMPARED WITH PREVIOUS WEEK Current Previous Previous Previous Current Previous Previous Previous Previous Current Previous Previous Week Week Week Week Week Wook Week Week TOTAL UNITED STATES FIRST SERVICE COMMAND SECOND SERVICE COMMAND THIRD SERVICE COMMAND MIL. DIST. OF WASHINGTON 1? 1? FOURTH SERVICE COMMAND FIFTH SERVICE COMMAND 2? SIXTH SERVICE COMMAND SEVENTH SERVICE COMMAND EIGHTH SERVICE COMMAND NINTH SERVICE COMMAND CURRENT YEAR TO DATE COMPARED WITH CORRESPONDING PERIOD PREVIOUS YFAR Current Previous Current Previous Current TOTAL UNITED STATES FIRST SERVICE COMMAND SECOND SERVICE COMMAND 1.6 THIRD SERVICE COMMAND MIL DIST. OF WASHINGTON FOURTH SERVICE COMMAND FIFTH SERVICE COMMAND 1/1 SIXTH SERVICE COMMAND SEVENTH SERVICE COMMAND EIGHTH SERVICE COMMAND L NINTH SERVICE COMMAND 

FORM SG-396B REVISED 13 NOVEMBER 1943

Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Influenza.

OFFICE OF THE SURGEON GENERAL MEDIGAL STATISTICS DIVISION HEALTH REPORTS BRANCH

RESTRICTED

VOLUME VI REPORT NO. 2
WEEK ENDING 11 JANUARY 194 6 SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

					A	D M I	S S SER OF C	I O N	S	`				NUMB	ER O	F DE	ATHS	P ONS
SERVICE	MEAN * STRENGTH	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	RHEUMATIC	ATY PICAL PNEUMONIA	INFECTIOUS HEPATITIS		OUT OF USA	TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL	DISEASE	INJURY	BATTLE	NUMBER OF DISPOSITIONS
				(	CUR	RE	NT	W	EEI	K								
TOTAL UNITED STATES	2034375	152	178	82	22	28	341	175	3	585	242	90	1023	77	49	26	2	298
FIRST SERVICE COMMAND	74816	3	3	2	1	3	4	13		20	14		9	3	2	1		14
SECOND SERVICE COMMAND	204866	2	12	10	3	4	26	28		45	4	2	476	7	6	1		41
THIRD SERVICE COMMAND	181727	46	14	4	2	1	44	11	1	30	18	14	37	4	4			29
MIL. DIST. OF WASHINGTON	48976	1	7	10		1	7	9		8	3	1	2	2	2			4
FOURTH SERVICE COMMAND	401320	10	30	14	6	3	88	24		40	65	3	66	17	13	3	1	42
FIFTH SERVICE COMMAND	152319	8	1	5	2	1	16	17		62	11	8	118	4	2	2		27
SIXTH SERVICE COMMAND	123738	1	11	8	2	2	13	22		64	38	4	63	8	3	4	1	22
SEVENTH SERVICE COMMAND	175497	17	32	9	2	5	38	11	2	65	16	27	59	9	5	4		26
EIGHTH SERVICE COMMAND	320035	33	43	15	3	6	55	24		86	49	12	45	12	4	8		37
NINTH SERVICE COMMAND	351081	31	25	5	1	2	50	16		165	24	19	148	11	8	3		51
				Р	REV	10	US	W	EE	K								
TOTAL UNITED STATES	2057749	117	148	49	25	38	367	153	3	454	158	54	485	82	47	34	1	161
FIRST SERVICE COMMAND	77446	.1	3	2		1	10	9		10	5		9	4	3	1		14
SECOND SERVICE COMMAND	193644	4	9	5	1	2	40	18	2	27	17	1	1111	8	7	1		12
THIRD SERVICE COMMAND	189281	16	11.	2	1	2	37	16		17	9	16	24	12	4	7	1	10
MIL. DIST. OF WASHINGTON	47839	1	1	7	1	2	12	9		4	2	1	1	1	1			
FOURTH SERVICE COMMAND	411726	10	33	6	10	5	119	19		37	43	2	48	10	4	6		26
FIFTH SERVICE COMMAND	148006	6	1	6		2	10	6		43	7	11	98	3	3			6
SIXTH SERVICE COMMAND	122662	2	6	1		1	16	16		64	22		45	7	4	3		14
SEVENTH SERVICE COMMAND	175811	8	12	7	5	11	32	13	1	28	11	17	41	11	9	2		17
EIGHTH SERVICE COMMAND	328214	27	31	6	3	6	50	21		66	31	3	37	8	5	3		29
NINTH SERVICE COMMAND	363120	42	41	7	4	6	41	26		158	п	3	71	18	7	11		30

FORM SG-396C REVISED 2 DEC. 1944

\* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

#### REPORT NO. 2 WEEK ENDING 11 January

VOLUME VI

### WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

		ANA	NUAL RA	TE		UAL C			ON		11105	2.05	0.00				OF		F S N S
SERVICE COMMAND	MEAN	PER I	000 STRE	NGTH	PE	R 1000	STREN	STH :		NI	JWBE		CASE	S			EATH	S	O D D
STATION	STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA CINCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	RHEUMATIC	PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	DISPOSITIONS BY CDD
FIRST SERVICE COMMAND	74816	640	621	19	162	13	6	կկ	3	3	2	1	3	4	13	3	2	1	149
Devens, Ft., Mass.	37619	549	543	67	112	10	3?	24					2		1				
Westover Field, Mass.	5088	481	1410	41?	143	10?	10?	31?						1	1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	32109	774	742	32	224	16	8?	70	3	3	2	1	1	3	11	3	2	1	149
		V 5 W A- 10.																	
SECOND SERVICE COMMAND	204866	815	796	19	226	11	16	77	2	12	10	3	4	26	28	7	6	1	410
Dix, Ft., N. J.	64909	601	599	2?	140	10	2?	46		1	1			12	3				16
Hancock, Ft., N. J.	7613	724	690	34?	273	34?		191		1		1		1					
Kilmer, Cp., N. J.	27710	467	452	15	28	6?		165	1					1	6	1	1		1
Mitchell Field, N. Y. (RH)	7250	510	488	22?	79	227		122		1				3					8
Monmouth, Ft., N. J. (RH)	14401	487	480	7?	130			58		1	1		3			1		1	30
Shanks, Cp., N. Y.	23848	1860	1847	13	484	4?		96	1	2	2	2		1	10	1	1		5
TOTAL: TALL STATIONS UNDER 5000 STR. & MISC. UNITS	59135	922	878	لبال	343	17	55	47		6	6		1	8	9	4	4		350

FORM SG-945 II DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
\*\* SEE NATURE OF THE DATA, PAGE 2.

VOLUME VI REPORT NO. 2
WEEK ENDING 11 January 194 6

### WEEKLY HEALTH REPORT

RESTRICTED

		0.010	IIIAI DA	TE				SI	ON								UMBE		S
SERVICE COMMAND	MEAN	PER IC	OO STRE	ENGTH	PE	UAL C	STREN	GTH		N	UMBE	R OF				D	EATH	S	000
AND STATION	STRENGTH*	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INGLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	DISPOSITIONS BY CDD
THIRD SERVICE COMMAND	181727	788	761	27	229	18	3	106	46	14	4	2	1	لبلز	11	4	4		298
Aberdeen Prov. Grd., Md.	13049	1379	1355	24	534	32		96	8	4	1			8		1	1		4
Geo. G. Meade, Ft., Md. (RH)	31099	905	900	5?	209	5?	5?	127				1			2				28
Indiantown Gap, Pa.	35356	693	672	21	109	9		81						6	3				21
Lee, Cp., Va., (RH)	26356	677	645	32	203	51		120	36	2	2	1	1	20	1				23
Patrick Henry, Cp., Va.	8398	452	409	43	161	19?		254						3					1
Pickett, Cp., Va.	21945	869	841	28	377	26	5?	145		6	1			2		_			16
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	45524	700	657	43	206	8	6?	61	2	2				5	5	3	3		205
MIL. DIST. OF WASH.	48976	867	836	31	343	11	1?	40	1	7	10		1	7	9	2	2		1,1,
					1.36														
Belvoir, Ft., Va. (RH)	16534	960	922	38	469	19		63		3	6		1	4	1				14
Myer, Ft., Va.	6981	954	894	60	402	7?		45		2	1			1	2				2
Washington Gen. Disp., D. C.	7924	887	854	33?	473					1					1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	17537	736	724	12?	142	9?	3?	36	1	1	3			2	5	2	2		28

FORM SG-945 II DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

RESTRICTED

VOLUME VI REPORT NO. 2
WEEK ENDING 11 January 1946

		ANA	IUAL RA	TE		UAL C		SI	0 N		,						UMBE OF		SNS
SERVICE COMMAND	MEAN	PER IO	00 STRE	NGTH	PE	R 1000	STREN	GTH		N	UMBE		CASE				EATH	S	A D O O
STATION	STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS	ALL CAUSES	DISEASE	INJURY	NUMBER OF DISPOSITIONS BY CDD
FOURTH SERVICE COMMAND	401320	638	608	30	139	16	4	117	10	30	14	6	3	88	24	17	13	3	1429
Benning, Ft., Ga. (RH)	24653	574	553	21.	105	13	2?	175	6	1				3		1	1		21
Blanding, Cp., Fla. (RH)	9189	928	894	34	74	6?		96						1	2				12
Boca Raton Field, Fla.	5648	488	460	28?	18?	9?		120				1		-1					
Bragg, Ft., N. C. (RH)	61729	567	543	24	168	22		83	1	3	4	1	1	15	1	2		2	21
Butner, Cp., N. C. (Excl. Gen. & Conv. Hosp.)	10755	586	513	73	106			48		1									
Gordon, Op., Ga.	9456	914	886	28?	88	33	6?	94						6		1	1		8
Greensboro AAFORD, N. C. (RH)	35134	441	426	15	124		4?	16	1	6			1			1	1		3
Jackson, Ft., S. C. (RH)	24574	591	578	13	61			231								1	1		8
Keesler Field, Miss. (RH)	28131	749	736	13	300	31	2?	52		3	9	3		14	2				5
McClellan, Ft., Ala. (RH)	29434	784	747	37	205	80	7?	117		14		1		31	4	1	1		43
MacDill Field, Fla.	5988	851	799	52	52		9?	365					1		1				
Maxwell Field, Ala. (RH)	6827	770	747	23?	53	15?		84						2					
McPherson, Ft., Ga.	22597	723	700	23	122	21	7?	147						9	2	1	1		8
Oglethorpe, Ft., Ga.	5476	1083	1007	76	171	9?		199						1	3	1		1	17
Shelby, Cp., Mass. (RH)	16717	1320	1276	lili	196	16?	12?	464						2	3				10
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	105012	493	454	39	114	3	5	81	2	2	1			3	6	8	7		273
			A description																

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
\*\* SEE NATURE OF THE DATA, PAGE 2.

INDIVIDUAL STATIONS

RESTRICTED

VOLUME VT REPORT NO. 2
WEEK ENDING 11 January 194 6

						D M			0 N	S						N	UMBE	R	S Z
SERVICE COMMAND	MEAN	PER IS	HUAL RA	TE ENGTH	PE	WAL C	STREN	GTH		N	UMBE					D	EATH	S	T ON
AND STATION	STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETG.,	PNEUMONIA (INCLUDING ATYP, ICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M'COCCIC MENINGITIS	RHEUMATIC	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	NUMBER DISPOSITI BY CDE
FIFTH SERVICE COMMAND	152319	671	644	27	139	11	2?	86	8	1	5	2	1	16	1.7	4	2	2	279
Atterbury, Cp., Ind.	42857	656	650	6?	42	4?		79					1		1				
Campbell, Cp., Ky.	21450	383	376	7?	56	7?		97	1	1				2	2	1		1	6
Knox, Ft., Ky. (RH)	33872	1130	1101	29	299	23	3?	115	7		2	2		10,	.8	1	1		13
Patterson Field, Ohio # (RH)	5100	642	571	71	316		10?	31?											6
Wright Field, Ohio	9002	381	329	52	208			6?											
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	40038	521	473	48	113	14	3?	88			3			4	6	2	1	1	254
SIXTH SERVICE COMMAND	123738	655	630	25	138	13	_4	61	1	11	8	2	2	13	22	8	3	4	220
Chanute Field, Ill. (RH)	14489	301	287	14?	133	18?		29		3	4			3					
Grant, Cp., Ill. #	13977	1358	1336	22	60	11?	7?	33					2	2	2				1
McCoy, Cp., Wis.	14584	781	770	11?	75	18?		61						5	4				14
Scott Field, Ill. (RH)	11244	629	597	32	254	19?	14?	102	1	1									8
Sheridan, Ft., Ill. (RH)	36217	493	482	11	47	3?	1?	70		3	3				1				15
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	33227	642	592	50	260	17	5?	64		4	1	2		3	15	8	3	4	182

FORM SG-945 II DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

VOL WEE

UME_VI REPORT NEK ENDING_11 January	INDIVI			
		A D	MI	S

								SI	ON	S						-	UMBE OF		o u Z
SERVICE COMMAND	MEAN	PER IC	OO STRE	TE	PE	WAL C	STREN	GTH		N	UMBE					D	EATH	S	A OF
STATION	STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	NUMBER OF DISPOSITIONS BY CDD
SEVENTH SERVICE COMMAND	175497	722	690	32	234	19	5	78_	17	32	9	2	5	38	11	9	5	4	268
Buckley Field, Colo. (RH)	4797	586	575	11?	249	65		33?	7	1				5					7
Crowder, Cp., Mo. (RH)	23774	865	. 834	31	523	31	13	68	2	13_	2	1	2	10	2				35
Jefferson Bks., Mo.	14090	812	801	11?	78	15?	7?	137		1					2	1	1		3
Leavenworth, Ft., Kans.	20103	698	693	5?	101	31		52		5	1			12					•7
Leonard Wood, Ft., Mo. (RH)	11510	1360	1333	27	890	54		167	7	5	1	1	2	6		1		1	13
Logan, Ft., Colo.	7439	699	678	21?	42	70		28?	1	1	-			1					4 -
Lowry Field, Colo.	10991	583	521	62	232	5?	24?	76			1		1	1					3
Riley, Ft., Kans. (RH)	9015	698	669	29?	173			12?						٠					1
Smoky Hill AAF, Kans. (RH)	6363	498	482	16?	155		8?	65							2	1		1	
Snelling, Ft., Minn.	8420	945	889	56	334			49		3						1	1		<u>lı</u>
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	58995	561	517	Luls .	100	5	3?	86		3	lı.			3	5	5	3	2	191
					P														\
												•							

FORM SG-945 II DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISFICS DIVISION
HEALTH REPORTS BRANCH

INDIVIDUAL STATIONS

RESTRICTED

VOLUME VI REPORT NO. 2 WEEK ENDING 11 January

SERVICE COMMAND		ANN PER 10	IUAL RA	TE	ANN	UAL C.	ASE R	SI	ON		JMBEI	R OF	CASE	S			OF EATH:	s	OF
AND	MEAN *** STRENGTH	ALL	DISEASE		COLDS, INFLUENZA, ETC.,	PNEUMONIA CINCLUDING ATYPICAL)	DI ARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	RHEUMATIC	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	NUMBER DISPOSITI BY CDE
EIGHTH SERVICE COMMAND	320035	703	671	32	224	22	_ 5	83	33	43	15	3	6	55	24	12	4	8	373
Amarillo AAF, Texas (RH)	5024	621	507	114	166	21?		93	4				1			2		2	
Bliss, Ft., Texas	18568	664	653	11?	269	6?		76	1	1			1						
Bowle, Cp., Texas (RH)	7140	445	430	15?	87	7?		66			1			1	1				2
Chaffee, Cp., Ark.	15864	728	708	20	92	36	39	46	3_					9					7
Clovis AAF, N. Mexico	5508	292	283	9?	28?	9?	19?	66						1					
Fannin, Cp., Texas	5374	2826	2778	48?	290	145		252	2					13	2				4
Fort Worth AAF, Texas	5286	423	364	59	79	20?		69		2				2		1		1	1
Hood, Cp., Texas	10847	513	460	53	125	10?		38?		1	k			2					9
Jos. T. Robinson, Cp., Ark.	22938	1093	1061	32	748	16		75	6	8	7			7	2	2		2	33
New Orleans PoE, La.	16264	927	911	16?	409	13?	6?	230	2	3		1		3					2
Randolph Field, Texas	8184	312	312		57			25?											2
Sam Houston, Ft., Texas	28249	652	641	11	33			42											
San Antonio AAF, Texas (RH)	11211	436	427	9?	56		5?	84	2				3						4
Sheppard Field, Texas (RH)	26446	1088	1017	71	588	85		94	9	11	2	1	1		2				17
Sill, Ft., Okla.	17310	748	727	21	334	18		21	3			1		4					2
Swift, Cp., Texas (RH)	19478	414	403	11?	67	21		13?						5	3				12
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	96344	565	524	41	123	16	6	104	1	17	1			8	14	7	4	3	278

\*\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION HEALTH REPORTS BRANCH

RESTRICTED

					F	DM	1 8	SI	ON	S						N	UMBE	R	S
SERVICE COMMAND	MEAN	ANN PER IS	NUAL RA			UAL CA		ATE		N	JMBE	R OF			1/4/1	D	EATH	S	NO LI
STATION	STRENGTH	ALL	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA CINCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET	M*COCCIC MENINGITIS	RHEUMATIC	ATYPICAL	INFECTIOUS	ALL CAUSES	DISEASE	INJURY	NUMBER OF DISPOSITIONS BY CDD
NINTH SERVICE COMMAND	351081	633	593	40	143	15	4	52	31	25	5	1	2	50	16	11	8	3	518
Beale, Cp., Calif.	26661	1094	1061	33	109	21	4?	98	1	1				9	3				29
Cooke, Cp., Calif.	14054	415	352	63	63	11?		11?								1	1		
Douglas, Ft., Utah	7808	1485	1412	73	300	13?	40	27?						1					2
Hamilton Field, Calif. (RH)	10014	307	281	26?	94			47					1			1		1	1
Kearns AAFORD, Utah	11475	607	571	36	277	5?	5?	91		1				1		-			1
Lawton, Ft., Wash.	14606	339	303	36	53	7?	4?	18?							1	1	1		4
Lewis, Ft., Wash.	33894	486	474	12	198			35	21	15	1	1							
Los Angeles PoE, Calif.	12073	702	668	34	108	22?	9?	90	1										1
MacArthur, Ft., Calif.	20646	827	814	13?	78	15		18			1								1
March Field, Calif.	6873	499	454	45	98	8?	15?	76											1
Ord, Fort, Calif. (RH)	17065	293	290	3?	21414	127	15?	40		3				2	1				22
Roberts, Cp., Calif.	17530	1124	1068	56	326	50			2	2			1	17	1				15
Stoneman, Cp., Calif.	22707	584	518	66	108	16		69						3	3				16
		-																	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	135675	569	520	49	122	15	4	60	6	3	3			17	7	8	6	2	425
		1																	
														1					182
	Transit I																		
		-		1	LE T														
		3						1											

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
\*\* SEE NATURE OF THE DATA, PAGE 2.

VOLUME VI

REPORT NO. 2

WEEK ENDING 11 January 194 6

#### LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

STATIONS WITH STRENGTH OF 5000 OR OVER

VOLUME VI REPORT NO. 2
WEEK ENDING 11 January 194 6

STATION	CURRENT	PREVIOUS WEEK	STATION	CURRENT	PREVIOUS WEEK	STATION	CURRENT	PREVIOUS WEEK
ALL CAUSE ANNUAL ADMISSION RATE			DISEAS	The second second	00	INJUR ANNUAL ADMISSION RA		
Fannin, Cp, Texas	2826	2395	Fannin, Cp, Texas	2778	2309	Amarillo AAF, Texas	114	31?
Shanks, Cp, NY	1860	1212	Shanks, Cp, NY	1847	1172	Oglethorpe, Ft, Ga	76	88
Douglas, Ft, Utah (1) (2)	1485	812	Douglas, Ft, Utah (1) (2)	1412	764	Butner, Cp, NC Excl Gen & Conv Hosps	73	15?
Aberdeen Prov Grd, Md	1379	957	Aberdeen Prov Grd, Md	1355	937	Douglas, Ft, Utah	73	48
Leonard Wood, Ft, Mo	1360	828	Grant, Cp, III	1336	768	Sheppard Field, Texas	71	44
Grant, Cp, Ill	1358	768	Leonard Wood, Ft, Mo	1333	81.4	Stoneman, Cp, Calif	66	33
Shelby, Cp, Miss (1) (2)	1320	1003	Shelby, Cp, Miss (1) (2)	1276	976	Cooke, Cp, Calif	63	37
COLDS, INFLUEN		*	PNEUMONIA (INCLUDI ANNUAL ADMISSION R			DIARRHEA AND I		
Leonard Wood, Ft, Mo	890	474	Fannin, Cp, Texas	145	12?	Douglas, Ft, Utah	40	7?
Jos T Robinson, Cp, Ark	748	526	Sheppard Field, Texas	85	48	Chaffee, Cp, Ark	39	26
Sheppard Field, Texas	588	298	McClellan, Ft, Ala	80	59	Crowder, Cp, Mo	13	7?
Aberdeen Prov Grd, Md	534	640	Logan, Ft, Colo	70	0			
Crowder, Cp, Mo	523	211	Buckley Field, Colo	65	11?	NO OTHER STATIONS WITH SIX		3
Shanks, Cp, NY	484	603	Leonard Wood, Ft, Mo	54	9?	OR MORE CASES.		
Washington Gen Disp. DC	473	446	Lee, Cp, Va	51	51			
VENEREAL (EXCLUITATION RATE ANNUAL ADMISSION RATE		TS)	DISEASE EXCLUDING V		EPTS	(1) Reception Center or S		
Shelby, Cp, Miss	464	194	Fannin, Cp, Texas	2778	2309		Jet Uet	
MacDill Field, Fla	365	138	Shanks, Cp, NY	1847	1172	(2) Separation Center: See Nature of the I	ata	
Patrick Henry, Cp, Va	254	262	Douglas, Ft, Utah (1) (2)	1412	764	Note: When the current we		
Fannin, Cp, Texas	252	86	Aberdeen Prov Grd, Md	1355	937	station have not be the previous week's	data are	used
Jackson, Ft, SC	231	119	Grant, Cp, Ill	1336	768	instead, the rates are not reported in		
New Orleans PoE, Ia	230	295	Leonard Wood, Ft, Mo	1333	804	they were so shown report.		
Oglethorpe, Ft, Ga	199	198	Shelby, Cp, Miss	1276	976			

FORM SG-396E, 12 NOVEMBER 1943

\*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Influenza.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

VOLUME VI REPORT NO. 2

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

WEEK ENDING 11 January 19	46				
ENCEPHALITIS (2) 1-Greensboro AAFORD, NC 1-McCook AAF, Nebr	DIPHTHERIA (14) 2-Halloran GH, NY 2-Kilmer, Cp, NJ 3-Staten Island, NY 1-George G Meade, Ft, Md 1-Valley Forge GH, Pa 3-Off/Strategic Service, DC 1-McCoy, Cp, Wis 1-Sheridan, Ft, Ill  TYPHUS FEVER (4) 4-Moore GH, NC	SCABIES (704) 438-Shanks, Cp, NY 41-Shelby, Cp, Miss 104-Knox, Ft, Ky 29-Leavenworth, Ft, Kans 50-MacArthur, Ft, Calif 42-Douglas, Ft, Utah  OUTFATIENTS 556-Dix, Ft, NJ 1387-Kilmer, Cp, NJ  (DELAYED REPORT WEEK ENDED 4 JANUARY 1946) 58-Grant, Cp, Ill	COCCIDIODOMYCOSIS (12) 1-Rhoads GH, NY 1-March Field, Calif 2-Minter Field, Calif 6-Ord, Ft, Calif 2-Williams Field, Ariz	DYSENTERY AMEBIC (57) 1-Devens, Ft, Mass 2-Lovell GH, Mass 3-Dix, Ft, NJ 2-Monmouth, Ft, NJ 1-Totten, Ft, NY 1-Belvoir, Ft, Va 1-Gordon, Cp, Ga 1-McClellan, Ft, Ala 25-Moore GH, NC 1-Atterbury, Cp, Ind 1-Newton D Baker GH, W. Va 1-Chicago Gen Disp, Ill 1-Gardiner GH, Ill 2-Sheridan, Ft, Ill 2-Jefferson Eks, Mo 1-Logan, Ft, Colo 1-Schick GH, Iowa 1-Sedalia AAF, Mo 1-Miss, Ft, Texas 1-Beale, Cp, Calif 1-Douglas, Ft, Utah 4-Fasadena, Calif (RH) 2-Stoneman, Cp, Calif	LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES  STREPTOCOCCAL SORE THROAT 21-Buckley Field, Colo 11-Kearns AAFORD, Utah  GERMAN MEASLES 29-Keesler Field, Miss 67-McClellan, Ft, Ala 28-Snelling, Ft, Minn 80-Jos T Robinson, Cp, Ark 32-Sheppard Field, Texas 10-Lewis, Ft, Wash 12-Ord, Ft, Calif 21-Roberts, Cp, Calif AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH  1-Lovell GH, Mass 1-Billy Mitchell Field, Wis 1-Gardiner GH, Ill

FORM SG - 902 - 8 July 1944

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

